PTC □□□□□□□□ □□□□□□□ □□□□□□ □□□□□□□□ □□□□□□
□□□□□□□□□ □□□□□□□□ □□□□□ □□ □□□□□□□ □□□□□□□ □□□□□□
□□□□□□□ □□□□□ □□□□□ □□□□□□
□□□□□□ □□□□□□□ □□□□□□
□□□□□□ □□□□□□□ □□□□□□□□ □□□□
□□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□ □□□□ 1500/□□□□ 750 :□□□□

□□□□ :

□□□□□ □□□□□ , □□□□□□□ □□□□□ , □□□□□□□□□ □□□□□□□□ □□□□□ □□□□□□□ □□□□□ , □□□□□□□ □□□□□ □ □□□□□□□ □□□□□

□□□□□□□□ □□□□□□ □□□□□□□ □□□□	PTC (□□□□□□ □□□□□ □□□□□ (□□□□□□□□
□□□□□□□□ □□□□□) □□□□)	750 □□□□ 1200/□□□□
□□□□□□ □□□□□	ABS □□□□□□ □□□□□□□

[illegible]	[illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]	[illegible]
[illegible] [illegible] [illegible] [illegible]	10000 [illegible]
[illegible] [illegible] [illegible]	15-40 [illegible] [illegible] 60 [illegible]) [illegible])
[illegible]	[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]) [illegible] [illegible])
[illegible] [illegible] [illegible] [illegible]	[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

PREMIUM MATERIALS
HIGH TEMPERATURE RESISTANCE

Employ premium materials against high temperature, firm, durable, doesn't burn your hand, but protect you all the time.

□□□□□□□ □□□□□□:

□□□□□□ □□□	13.5*11.5*23.5 □□
□□□□□ □□□□ □□□□□□□ □□□	14.5*12.5*25.9 □□
□□□□□□ □□□	1.15 □□□

□□□□□□□□ □□□□□□ □□□□□□□□ □□□□□
□□□□□ / □□□□ □□□□□□□ □□□□
□□□□□□□ □□□□□□□□ □□□□□
□□□□□□ □□□□□ □□□

1.9 □□□
12 □□□□□/□□□□
16 □□□
56*38*45 □□□□□□□

AND THE REAL PRODUCT SHALL PREVAIL.

PRODUCT DETAILS





OVERTURN BREAK

There is an overturn break design at the bottom, for fear of causing damages.

MESH COVER DESIGN

The mesh cover is designed for heat proof and make it safe in using.



BACK HANDLE DESIGN

Handle design, convenient and practical