

## Decke montiert Großhandel andere für Winter Raum Plug-in Wand Infrarot Raum Home elektrische Heizung Heizung elektrisch

Interner Schutz der Temperaturkontrollkomponenten

Unterer Absturzsicherungsschalter

Kopfschüttelfunktion

Flammhemmender Rumpf

WATT: 750 W/1500 W OEM und ODM

Anwendung :


Raumheizkörper , **Heimheizung** , PTC-Heizung , **Winterheizung** , Warme Heizung







Kundendienst bereitgestellt	Kostenlose Ersatzteile, Rückgabe und Ersatz, Callcenter im Ausland
Garantie	1 Jahr
Spezifikation	1500W
Anwendung	Outdoor, Hotel, Gewerbe, Haushalt
Energiequelle	Elektrisch
Heizkörper	Halogen-IR-Lampe
Installation	Decke, Wandmontage
Funktion	Handbetrieb
Infrarot-Heizungstyp	Deckenheizung



### **Spezifikation :**

Markenname	Neuer Planet
Modell-Nr	NP-1500W
Produktname	Deckenheizung
Durchmesser der Abdeckung	42cm
Elektrischer Heiztyp	100/120 V / 220-240 V
Kabellänge	2M mit 0,5M Kette (Eisen)
Heizelemente	Halogenheizfäden



Picture	Power (W)	Weight (kg)	Dimensions(cm)	220v Descriptions	110v Descriptions	20GP QTY	40HQ QTY
	1500	2.3/3	Dia.42cm	1> 2 heating power options: 750/1500W 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	1> 1 heating power options:1500W. 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	378PCS	918PCS
	2200	3.5/5.7	Dia.58.5cm	1> 2 heating power options:1200/2200W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44 , stainless steel+aluminum alloy body. 4> Control type: electric remote control. 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain.	1 > 2 heating power options: 600/1500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	183PCS	436PCS
	2500	3.5/5.7	Dia.58.5cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.		183PCS	436PCS
	2500	4/7.5	Dia.74cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs. carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz): 100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	130PCS	290PCS