


Elemento calefactor de cuarzo infrarrojo, calentador infrarrojo halógeno con luz Led para plantas animales, tubo dorado, 3000W, 400V


Solicitud :

Calentador , [calentador de casa](#) , Calentador PTC , [Calentador de invierno](#) , Calentador caliente









Servicio postventa proporcionado	Repuestos, devolución y reemplazo gratuitos, centros de llamadas en el extranjero
Garantía	1 año
Especificación	1500W
Solicitud	Al aire libre , Hotel , Comercial , Hogar
Fuente de alimentación	Eléctrico
Elemento de calefacción	Lámpara halógena de infrarrojos
Instalación	Techo, Montado en la pared
Función	Manual de operación
Tipo de calentador infrarrojo	Calentador de techo







IP44 waterproof



Especificación :

Nombre de la marca

Número de modelo

nombre del producto

Diámetro de la cubierta

Tipo de calentador eléctrico

Longitud de cable

Elementos de calentamiento

Nuevo planeta

NP-1500W

calentador de techo

42cm

100/120V / 220-240v

2M con Cadena de 0,5M (Hierro)

Filamentos térmicos halógenos



Picture	Power (W)	Weight (kg)	Dimensions(cm)	220v Descriptions	110v Descriptions	20GP QTY	40HQ QTY
	1500	2.3/3	Dia.42cm	1> 2 heating power options: 750/1500W 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	1> 1 heating power options:1500W. 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	378PCS	918PCS
	2200	3.5/5.7	Dia.58.5cm	1> 2 heating power options:1200/2200W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44 , stainless steel+aluminum alloy body. 4> Control type: electric remote control. 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain.	1 > 2 heating power options: 600/1500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain.	183PCS	436PCS
	2500	3.5/5.7	Dia.58.5cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.		183PCS	436PCS
	2500	4/7.5	Dia.74cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs. carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz): 100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	130PCS	290PCS