

Plafond Monté En Gros Autre Pour L'hiver Espace Plug In Mur Infrarouge Chambre Maison Chauffage Électrique Chauffage Électrique

Protection des composants de contrôle de température interne

Interrupteur antichute inférieur

Fonction secouant la tête

Fuselage ignifuge

WATTS : 750 W/1 500 W OEM et ODM

Application :


Appareil de chauffage , [Chauffage domestique](#) , Chauffage PTC, [Chauffage d'hiver](#) ,
Chauffage chaud







Service après-vente fourni	Pièces de rechange gratuites, retour et remplacement, centres d'appels à l'étranger
garantie	1 an
spécification	1500W
Application	Extérieur, Hôtel, Commercial, Ménage
Source d'énergie	Électrique
Élément chauffant	Lampe halogène IR
Installation	Plafond, mural
Fonction	Opération manuelle
Type de chauffage infrarouge	Chauffage de plafond



spécification :

Marque	Nouvelleplanète
Numéro de modèle	NP-1500W
Nom du produit	Chauffage au plafond
Diamètre du couvercle	42 cm
Type de chauffage électrique	100/120 V/220-240 V
Longueur du fil	2M avec chaîne de 0,5M (fer)
Éléments chauffants	Filaments chauffants halogènes



Picture	Power (W)	Weight (kg)	Dimensions(cm)	220v Descriptions	110v Descriptions	20GP QTY	40HQ QTY
	1500	2.3/3	Dia.42cm	1> 2 heating power options: 750/1500W 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	1> 1 heating power options:1500W. 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	378PCS	918PCS
	2200	3.5/5.7	Dia.58.5cm	1> 2 heating power options:1200/2200W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44 , stainless steel+aluminum alloy body. 4> Control type: electric remote control. 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	183PCS	436PCS
	2500	3.5/5.7	Dia.58.5cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.		183PCS	436PCS
	2500	4/7.5	Dia.74cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs. carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz): 100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	130PCS	290PCS