

Élément chauffant à Quartz infrarouge, 3000W, 400V, lumière Led pour animaux et plantes, Tube doré, halogène, chauffage infrarouge


Application :

Appareil de chauffage , [Chauffage domestique](#) , Chauffage PTC, [Chauffage d'hiver](#) ,
Chauffage chaud









Service après-vente fourni	Pièces de rechange gratuites, retour et remplacement, centres d'appels à l'étranger
garantie	1 an
spécification	1500W
Application	Extérieur, Hôtel, Commercial, Ménage
Source d'énergie	Électrique
Élément chauffant	Lampe halogène IR
Installation	Plafond, mural
Fonction	Opération manuelle
Type de chauffage infrarouge	Chauffage de plafond







IP44 waterproof



spécification :

Marque

Nouvelleplanète

Numéro de modèle

NP-1500W

Nom du produit

Chauffage au plafond

Diamètre du couvercle

42 cm

Type de chauffage électrique

100/120 V/220-240 V

Longueur du fil

2M avec chaîne de 0,5M (fer)

Éléments chauffants

Filaments chauffants halogènes



Picture	Power (W)	Weight (kg)	Dimensions(cm)	220v Descriptions	110v Descriptions	20GP QTY	40HQ QTY
	1500	2.3/3	Dia.42cm	1> 2 heating power options: 750/1500W 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	1> 1 heating power options:1500W. 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	378PCS	918PCS
	2200	3.5/5.7	Dia.58.5cm	1> 2 heating power options:1200/2200W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44 , stainless steel+aluminum alloy body. 4> Control type: electric remote control. 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	183PCS	436PCS
	2500	3.5/5.7	Dia.58.5cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.		183PCS	436PCS
	2500	4/7.5	Dia.74cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs. carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz): 100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	130PCS	290PCS