

□□□□□ :

A dark red, C-shaped metal component, likely a part of a medical device, with two white cylindrical connectors attached to its ends. A white braided cable is connected to one of the connectors.



電線の長さ	電線の長さ（メートル）
電線径（mm）	5000
電線径（mm）	電線径（mm）
電線径（mm）	電線径（mm）
電線径（mm）	6000
電線径（mm）	10000
電線径（mm）	0.2
電線径（mm）	電線径（mm）
電線径（mm）	電線 220V(± 10%)





技術仕様 :

電源電圧 AC 100V
電源周波数 50/60Hz (日本)
電源電流 0.5A (日本/アメリカ)
CRI (Ra>)
色温度 (暖白色)
光束角度 (広角)
IP 保護等級

全光束
450
55
90
光束径
約 600mm
約 65

Ruby Infrared Lamp

Carbon fiber Filaments
30% Energy saving
Far Infrared wave




Application field

1. Electric Heater Parts
2. PET Blowing Machine Parts
3. Painting lacquer drying parts.
4. Textile Heating dryer lamps
5. Drying machine ir oven lamps
6. Oven Electric heater replace lamps
7. Electrons parts drying tube parts.
8. PCB, Glasses, Car, Shrink Machine.....





Half White IR lamp



All Gold IR lamp



Twin IR lamps



Carbon IR lamps



Ceramic IR Lamps



S shape Carbon IR



Ruby Quartz IR lamps



SK-15 Head



Round Shape



Half Gold



Twin Half Gold

