

Riscaldatore elettrico domestico a infrarossi per installazione a soffitto, altro per spazio invernale, plug-in a parete, riscaldatore elettrico

Protezione dei componenti interni di controllo della temperatura

Interruttore anticaduta inferiore

Funzione di scuotimento della testa

Fusoliera ignifuga

WATT: 750 W/1500 W OEM e ODM

Applicazione :


Stufetta , [Riscaldatore domestico](#) , Riscaldatore PTC , [Riscaldatore invernale](#) ,
Riscaldamento caldo







Servizio post-vendita fornito	Pezzi di ricambio gratuiti, restituzione e sostituzione, call center esteri
Garanzia	1 anno
Specifica	1500W
Applicazione	Esterno, hotel, commerciale, casa
Fonte di potere	Elettrico
Termosifone	Lampada IR alogena
Installazione	Soffitto, montaggio a parete
Funzione	Operazione manuale
Tipo di riscaldatore a infrarossi	Riscaldamento a soffitto



Specifica :

Marchio	Nuovopianeta
Numero di modello	PN-1500W
nome del prodotto	Riscaldamento a soffitto
Diametro della copertura	42 cm
Tipo di riscaldatore elettrico	100/120 V / 220-240 V
Lunghezza del filo	2M con catena da 0,5M (ferro)
Elementi riscaldanti	Filamenti termici alogeni



Picture	Power (W)	Weight (kg)	Dimensions(cm)	220v Descriptions	110v Descriptions	20GP QTY	40HQ QTY
	1500	2.3/3	Dia.42cm	1> 2 heating power options: 750/1500W 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	1> 1 heating power options:1500W. 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	378PCS	918PCS
	2200	3.5/5.7	Dia.58.5cm	1> 2 heating power options:1200/2200W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44 , stainless steel+aluminum alloy body. 4> Control type: electric remote control. 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	183PCS	436PCS
	2500	3.5/5.7	Dia.58.5cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.		183PCS	436PCS
	2500	4/7.5	Dia.74cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs. carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz): 100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	130PCS	290PCS