

Tubo riscaldante alettato circolare personalizzato, acciaio inossidabile, barra riscaldante elettrica con combustione ad aria secca industriale [Scaldabagno ad immersione](#)

Caratteristica:

Abbagliamento inferiore

Risparmio Energetico

Anti-esposizione

Longer lifetime >5000Hours







Nome del prodotto	Scaldabagno ad immersione 3 kW
Temperatura del Coloree (CCT)	2700K (bianco caldo tenue)
Tensione in ingresso (V)	CA 220 V (\pm 10%)
Garanzia (anno)	4500 ore
Servizio soluzioni illuminotecniche	Riscaldamento della fattoria degli animali
Peso del prodotto (kg)	0,25
Materiale	vetro morbido e vetro duro
Supporto dimmer	50
Color	Chiaro









Products Are Widely Used

PRODUCTS ARE WIDELY USED

ON THE ROAD OF LOVE, I ALSO HAD UNFORGETTABLE SUFFERINGS. TODAY IT SEEMS THAT THEY HAVE ALL BECOME
 LIKE SMOKE PAST EVENTS WHY CARE ABOUT YOUR YOUTH AND LOVE? THIS IS THE PROCESS OF LIFE.



Semiconductor Manufacturing

SEMICONDUCTOR MANUFACTURING



Medical Treatment

MEDICAL TREATMENT



Cable Machinery

CABLE MACHINERY



Oil

OIL



Plastic Robot

PLASTIC ROBOT

High Temperature Stove

HIGH TEMPERATURE STOVE