


20w UV 222nm UVC

電圧(V)	24V
光束密度(lm/w)	125
電圧(V)	1
照射距離	UVC 222nm
照射面積	4000
照射時間	10000
電圧	
電圧	DC
照射距離	





222nm UVC 20W Module


Shenzhen NewplanetTechnology Co.,LTD

www.irlight.cn


Attn: Judy.Huang 0086-13760193325

E: irlightsales02@hotmail.com


222nm Module Size



222NM Lamp Structure




Lamp Module Structure



A: 84.5MM
B: 36MM Diameter


C: 138.6MM
D: 40MM

Wavelength Spectrum




Installation with ballast

The 222nm must connect with ballast to longer lifetime of 222nm lamp




- 222 nm lamp both side connected with a ballast input . And out contact with a suitable adapter to suit for city Electricity.

Lifetime State



Application

Metre, Hospital, Library, Restaurant, Store, Super Market Hall. Hotel....



●Warning

- During lighting, the external network will generate high voltage. Please do not touch it with your hands.
- When installing or removing the lamp tube or cleaning the lamp box, be sure to turn off the main power supply. (avoid electric shock) six In the light box with appropriate specifications, be sure to use the specified power lamp. (avoid overheating of the lamp box, damage of the lamp tube, short service life, etc.)
- Do not use it around ignition substances such as organic solvents. (avoid fire and explosion)
- Do not let paper, cloth, etc. close to or cover the lamp tube or lamp box. (avoid fire)

UVC