


# UV 消毒灯管 20W 25W 30W 40W 50W 60W 70W 80W 90W 100W Lampe UV 20W UV 25W 30W 40W 50W 60W 70W 80W 90W 100W

UV 消毒灯管 20W 25W 30W 40W 50W 60W 70W 80W 90W 100W 紫外线灯管 20W 25W 30W 40W 50W 60W 70W 80W 90W 100W.

UV 消毒灯管 20W 25W 30W 40W 50W 60W 70W 80W 90W 100W OEM ODM 紫外线灯管.







Cooper coated with Glass Fiber covered, insulativity, Thermostability, Anti-aging, Anti-scratch. PTFE Wire: Cooper Coated with PTFE Covered , Keep smooth, and conductivity with little lost.



Pure tungsten wire in electode, keep less wearing. and longer life time High quality with competitive price.




**Quartz Tube with coated end**  
**Average life time: 1000hours**



**UV lamps head style different for choice**

# QUOTE FORM



Please refer to the diagram above when answering the following questions

Your Name \_\_\_\_\_  
 Company \_\_\_\_\_  
 Phone \_\_\_\_\_  
 Email \_\_\_\_\_

Terminal Type		
# 1	# 2	# 3

		Lamp Dimensions			Connectors		Cable Length		Lamp Electrical Data		
Item	Qty	Total Length	Arc Length	Diameter	End Fitting Style	Terminal Type	Left	Right	Voltage	Current	Power

## End Fittings



See back for end fitting dimensions.



Standard UV


365nm UV

Metal Halide

IR lamps


Microwave

•UV mercury lamp show



•UV mercury lamp radiation spectrum


Standard Mercury Lamp



[www.irlight.cn](http://www.irlight.cn)

•UV Halide lamp radiation spectrum

Iron Metal Halide Lamp



[www.irlight.cn](http://www.irlight.cn)