


□□□ □□ □□ □□ □□ □□ □ □ □□ □□ □□ **3000W 400V** □□□□□□


□□□□□□ :

□□ □□ , □□□□□□ , PTC □□ , □□□□□□ , □□□□ □□









☐☐ ☐ ☐☐☐ ☐☐
☐☐
☐☐
☐☐☐☐☐☐☐☐
☐☐
☐☐☐
☐☐
☐☐
☐☐☐ ☐☐ ☐☐

☐☐ ☐☐, ☐☐ ☐ ☐☐, ☐☐ ☐☐☐☐
☐☐
1500W
☐☐, ☐☐, ☐☐, ☐☐
☐☐ ☐☐
☐☐☐ IR ☐☐
☐☐, ☐☐☐☐
☐☐ ☐☐
☐☐ ☐☐







IP44 waterproof



□□ :

□□□
□□ □□
□□□
□□ □□
□□□□ □□
□□□ □□
□□□

□□□□
NP-1500W
□□ □□
42cm
100/120V / 220-240v
0.5M □□□ □□□ 2M(□)
□□□ □ □□□□



| Picture | Power (W) | Weight (kg) | Dimensions(cm) | 220v Descriptions | 110v Descriptions | 20GP QTY | 40HQ QTY |
|---|-----------|-------------|----------------|---|---|----------|----------|
|  | 1500 | 2.3/3 | Dia.42cm | 1> 2 heating power options: 750/1500W 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 2M wire + 0.5M iron chain. | 1> 1 heating power options:1500W. 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 2M wire + 0.5M iron chain. | 378PCS | 918PCS |
|  | 2200 | 3.5/5.7 | Dia.58.5cm | 1> 2 heating power options:1200/2200W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44 , stainless steel+aluminum alloy body. 4> Control type: electric remote control. 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain. | 1 > 2 heating power options: 600/1500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain. | 183PCS | 436PCS |
| | 2500 | 3.5/5.7 | Dia.58.5cm | 1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain. | | 183PCS | 436PCS |
|  | 2500 | 4/7.5 | Dia.74cm | 1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain. | 1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs. carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz): 100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain. | 130PCS | 290PCS |