


UV Ink Glue Use 2KW [UV Lamp](#) Machine Use UV Curing Lamp

Other UV Lamps Size For Special Design.


Application: Printing uv curing, UV inks silk printing curing lamp, offset flexo [UV Lamp Shenzhen](#)



PARAMETER DETAILS:

Watt Range	250w/400w/500w/1kw/2kw/3kw/4kw/5kw/5.6kw/8kw/9kw/9.6kw/11kw/12kw...25kw
Wave Length	210-410nm
Main Wavelength	365nm
Length can do	120-2500mm
Diameter	18mm/22mm/25mm/26mm/28mm/32mm/35mm.....
Material of tube	High Purify Quartz
Rate of transfer	95%
Wire Length	Standard 300mm (Special by Customize)
Voltage	Customize
Application	UV ink, UV glue, UV varnish, UV painting Curing machine uv lamps replacement





Cooper coated with Glass Fiber covered, insulativity, Thermostability, Anti-aging, Anti-scratch. PTFE Wire: Cooper Coated with PTFE Covered, Keep smooth, and conductivity with little lost.



Pure tungsten wire in electrode, keep less wearing, and longer life time. High quality with competitive price.

Tube material:

High purify quartz GE

Electrode Pure tungsten

Tube electrode gold coated with steady performance







Tube diameter: 18mm 22mm 28mm 32mm

Ceramic Base: bear high voltage working with longer lifetime

Wire : Temperature resistant with high insulater

