



sistema UV da purificação do ar do Excimer 20w UVC distante 222nm

Lâmpada UVC

Tensão de entrada (V)	CC 24V
Eficiência luminosa da lâmpada (lm/w)	125
Garantia (Ano)	1 ano
Serviço de soluções de iluminação	Sistema de purificação de ar com lâmpada Far UVC 222nm
Vida útil (horas)	4000
Tempo de trabalho (horas)	10.000
Aplicativo	Casa, Medicina, Hotel, Escritório, Qualquer presente com pessoas e animais
Fonte de energia	CC
Mudar de modo	Controle remoto, botão manual





222nm UVC 20W Module


Shenzhen NewplanetTechnology Co.,LTD

www.irlight.cn


Attn: Judy.Huang 0086-13760193325

E: irlightsales02@hotmail.com


222nm Module Size



222NM Lamp Structure




Lamp Module Structure



A: 84.5MM
B: 36MM Diameter


C: 138.6MM
D: 40MM

Wavelength Spectrum




Installation with ballast

The 222nm must connect with ballast to longer lifetime of 222nm lamp




- 222 nm lamp both side connected with a ballast input . And out contact with a suitable adapter to suit for city Electricity.

Lifetime State



Application

Metre, Hospital, Library, Restaurant, Store, Super Market Hall. Hotel....



●Warning

- During lighting, the external network will generate high voltage. Please do not touch it with your hands.
- When installing or removing the lamp tube or cleaning the lamp box, be sure to turn off the main power supply. (avoid electric shock) In the light box with appropriate specifications, be sure to use the specified power lamp. (avoid overheating of the lamp box, damage of the lamp tube, short service life, etc.)
- Do not use it around ignition substances such as organic solvents. (avoid fire and explosion)
- Do not let paper, cloth, etc. close to or cover the lamp tube or lamp box. (avoid fire)

Lâmpada UVC fabricante da China são amplamente utilizados em sistema de desinfecção de ar, sistema de tratamento de água, indústria de pintura, indústria gráfica, etc.