

**Montado no teto atacado outro para o espaço de inverno plug na parede sala  
infravermelha casa aquecedor elétrico aquecedor elétrico**

Proteção de componentes de controle de temperatura interna

Interruptor anti-queda inferior

Função de balançar a cabeça

Fuselagem retardante de chama

WATT: 750W/1500 W OEM e ODM

Aplicativo :


Aquecedor , [Aquecedor doméstico](#) , Aquecedor PTC , [Aquecedor de inverno](#) , Aquecedor quente







|                                 |                                                                                  |
|---------------------------------|----------------------------------------------------------------------------------|
| Serviço pós-venda fornecido     | Peças de reposição gratuitas, devolução e substituição, call centers no exterior |
| garantia                        | 1 ano                                                                            |
| Especificação                   | 1500W                                                                            |
| Aplicativo                      | Exterior, Hotel, Comercial, Doméstico                                            |
| Fonte de energia                | Elétrico                                                                         |
| Elemento de aquecimento         | Lâmpada infravermelha halógena                                                   |
| Instalação                      | Teto, montado na parede                                                          |
| Função                          | Operação manual                                                                  |
| Tipo de aquecedor infravermelho | Aquecedor de teto                                                                |



### **Especificação :**

|                            |                                  |
|----------------------------|----------------------------------|
| Marca                      | Novo planeta                     |
| Número do modelo           | NP-1500W                         |
| Nome do Produto            | Aquecedor de teto                |
| Diâmetro da tampa          | 42cm                             |
| Tipo de aquecedor elétrico | 100/120 V / 220-240 V            |
| Comprimento do fio         | 2M com corrente 0,5M (ferro)     |
| Elementos de aquecimento   | Filamentos térmicos de halogênio |



| Picture                                                                             | Power (W) | Weight (kg) | Dimensions(cm) | 220v Descriptions                                                                                                                                                                                                                                                                                     | 110v Descriptions                                                                                                                                                                                                                                                                                   | 20GP QTY | 40HQ QTY |
|-------------------------------------------------------------------------------------|-----------|-------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|  | 1500      | 2.3/3       | Dia.42cm       | 1> 2 heating power options: 750/1500W<br>2> Heating element: 1pc, Halogen tube.<br>3> IP23 , iron material.<br>4> Control type: Mechanical manual control.<br>5> Carton size: 45*45*36.5cm<br>6> Volt/freq. (V/Hz):220-240V,50/60Hz.<br>7> With 2M wire + 0.5M iron chain.                            | 1> 1 heating power options:1500W.<br>2> Heating element: 1pc, Halogen tube.<br>3> IP23 , iron material.<br>4> Control type: Mechanical manual control.<br>5> Carton size: 45*45*36.5cm<br>6> Volt/freq. (V/Hz):100-120V,50/60Hz.<br>7> With 2M wire + 0.5M iron chain.                              | 378PCS   | 918PCS   |
|  | 2200      | 3.5/5.7     | Dia.58.5cm     | 1> 2 heating power options:1200/2200W.<br>2> Heating element: 2pcs, carbon fiber tube.<br>3> IP44 , stainless steel+aluminum alloy body.<br>4> Control type: electric remote control.<br>5> Carton size: 63*63*39cm<br>6> Volt/freq. (V/Hz):220-240V,50/60Hz.<br>7> With 3.3M wire + 0.5M iron chain. | 1> 2 heating power options: 600/1500W.<br>2> Heating element: 2pcs,carbon fiber tube.<br>3> IP44, stainless steel+aluminum alloy body.<br>4> Control type: electric remote control<br>5> Carton size: 63*63*39cm<br>6> Volt/freq. (V/Hz):100-120V,50/60Hz<br>7> With 3.3M wire + 0.5M iron chain.   | 183PCS   | 436PCS   |
|                                                                                     | 2500      | 3.5/5.7     | Dia.58.5cm     | 1> 2 heating power options: 1200/2500W.<br>2> Heating element: 2pcs,carbon fiber tube.<br>3> IP44, stainless steel+aluminum alloy body.<br>4> Control type: electric remote control<br>5> Carton size: 63*63*39cm<br>6> Volt/freq. (V/Hz):220-240V,50/60Hz<br>7> With 3.3M wire + 0.5M iron chain.    |                                                                                                                                                                                                                                                                                                     | 183PCS   | 436PCS   |
|  | 2500      | 4/7.5       | Dia.74cm       | 1> 2 heating power options: 1200/2500W.<br>2> Heating element: 2pcs, carbon fiber tube.<br>3> IP44, stainless steel+aluminum alloy body.<br>4> Control type: electric remote control<br>5> Carton size: 79*79*37cm<br>6> Volt/freq. (V/Hz):220-240V,50/60Hz<br>7> With 3.3M wire + 0.5M iron chain.   | 1> 2 heating power options: 600/1500W.<br>2> Heating element: 2pcs. carbon fiber tube.<br>3> IP44, stainless steel+aluminum alloy body.<br>4> Control type: electric remote control<br>5> Carton size: 79*79*37cm<br>6> Volt/freq. (V/Hz): 100-120V,50/60Hz<br>7> With 3.3M wire + 0.5M iron chain. | 130PCS   | 290PCS   |