


1 кВт УФ-Hg Mercury Lams УФ-чернила для сушки чернил Pinter

Любой параметр [Китай УФ-лампа](#) **производитель** отличается, пожалуйста, помогите заполнить форму и отправить ее нам.


Наша новая фабрика предоставляет специальный дизайн (по индивидуальному заказу) OEM и ODM.




Параметр:

Элемент	УФ лампы
Ватт	1 кВт
Длина	120 мм (300 мм 230 мм 200 мм по индивидуальному заказу)
ГлавнаяДлина волны	365 нм
Плотность	120 Вт/см

Диаметр трубки	23 мм
Материал трубки	Кварц высокой очистки (GE)
Длина провода	200 мм (любой можно настроить)
Продолжительность жизни	800-1000 часов







Cooper coated with Glass Fiber covered, insulativity, Thermostability, Anti-aging, Anti-scratch. PTFE Wire: Cooper Coated with PTFE Covered, Keep smooth, and conductivity with little lost.



Pure tungsten wire in electrode, keep less wearing, and longer life time. High quality with competitive price.




Quartz Tube with coated end
Average life time: 1000hours



UV lamps head style different for choice

QUOTE FORM



Please refer to the diagram above when answering the following questions

Your Name _____
 Company _____
 Phone _____
 Email _____

Terminal Type		
# 1	# 2	# 3

		Lamp Dimensions			Connectors		Cable Length		Lamp Electrical Data		
Item	Qty	Total Length	Arc Length	Diameter	End Fitting Style	Terminal Type	Left	Right	Voltage	Current	Power

End Fittings



See back for end fitting dimensions.



Standard UV


365nm UV

Metal Halide

IR lamps


Microwave

•UV mercury lamp show



•UV mercury lamp radiation spectrum


Standard Mercury Lamp



www.irlight.cn

•UV Halide lamp radiation spectrum

Iron Metal Halide Lamp



www.irlight.cn