

**Потолочный монтаж Оптом Другое Для зимы Пространство Подключите  
настенный инфракрасный обогреватель для комнаты Домашний электрический  
обогреватель Электрический обогреватель**

Защита внутренних компонентов контроля температуры

Нижний переключатель защиты от падения

Функция покачивания головой

Огнестойкий фюзеляж

ВАТТ: 750 Вт/1500 Вт OEM и ODM

Приложение :

Обогреватель , [Домашний обогреватель](#) , Нагреватель ПТК , [Зимний обогреватель](#) ,  
Теплый обогреватель







Предоставляется послепродажное обслуживание

Гарантия

Спецификация

Приложение

Источник питания

Нагревательный элемент

Монтаж

Функция

Тип инфракрасного обогревателя

Бесплатные запасные части, возврат и замена, зарубежные колл-центры

1 год

1500 Вт

На открытом воздухе, гостиница, коммерческое, домашнее хозяйство


Электрический

Галогенная ИК-лампа

Потолок, Настенный монтаж

Ручная операция

Потолочный обогреватель



### **Спецификация :**

Имя бренда	Ньюпланет
Номер модели	НП-1500Вт
наименование товара	потолочный обогреватель
Диаметр крышки	42см
Тип электрического нагревателя	100/120 В/220-240 В
Длина провода	2М с цепью 0,5М (железо)
Нагревательные элементы	Галогенные нагревательные нити



Picture	Power (W)	Weight (kg)	Dimensions(cm)	220v Descriptions	110v Descriptions	20GP QTY	40HQ QTY
	1500	2.3/3	Dia.42cm	1> 2 heating power options: 750/1500W 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	1> 1 heating power options:1500W. 2> Heating element: 1pc, Halogen tube. 3> IP23 , iron material. 4> Control type: Mechanical manual control. 5> Carton size: 45*45*36.5cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz. 7> With 2M wire + 0.5M iron chain.	378PCS	918PCS
	2200	3.5/5.7	Dia.58.5cm	1> 2 heating power options:1200/2200W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44 , stainless steel+aluminum alloy body. 4> Control type: electric remote control. 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz. 7> With 3.3M wire + 0.5M iron chain.	1 > 2 heating power options: 600/1500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	183PCS	436PCS
	2500	3.5/5.7	Dia.58.5cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs,carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 63*63*39cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.		183PCS	436PCS
	2500	4/7.5	Dia.74cm	1> 2 heating power options: 1200/2500W. 2> Heating element: 2pcs, carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz):220-240V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	1> 2 heating power options: 600/1500W. 2> Heating element: 2pcs. carbon fiber tube. 3> IP44, stainless steel+aluminum alloy body. 4> Control type: electric remote control 5> Carton size: 79*79*37cm 6> Volt/freq. (V/Hz): 100-120V,50/60Hz 7> With 3.3M wire + 0.5M iron chain.	130PCS	290PCS